Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	field with ((inverse or i) adj dct) with ("4.times.4")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/02 09:39
L2	18731432	@ad<"20000121"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/02 09:39
L3	14	field with ((inverse or i) adj (dct or (discrete adj cosine adj transform))) with ("4.times.4")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/02 09:39
L5	7	3 and 2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/02 11:05
L6	2	("6259734").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/02 11:05
S1	1313	(375/240.12).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/23 07:25
S2	24730220	@ay<"20000121"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 15:23
S3	18730076	@ad<"20000121"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 15:24

S4	546	S3 and S1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 16:22
S5	430	375/240.08	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 16:22
S6	130	S5 and S3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 16:37
S7	1984	((mpeg or mpg) adj "2") same ((mpg or mpeg) adj "4")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 16:43
S8	1326	((mpeg or mpg) adj "2") near2 ((mpg or mpeg) adj "4")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 16:44
S9	164	S8 and S3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 16:43
S10	58	((mpeg or mpg) adj "2") with ((mpg or mpeg) adj "4") with conversion	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 16:46
S11	2	S10 and S3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 16:44

S12	127	((mpeg or mpg) adj "2") with ((mpg or mpeg) adj "4") with conver$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 16:46
S13	10	S12 and S3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 16:46
S14	15	(((mpeg or mpg) adj "2") near2 decod$3) same (((mpeg or mpg) adj "4") near2 encod$3) same conver$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 07:30
S15	75	(((mpeg or mpg) adj "2") near4 decod$3) and (((mpeg or mpg) adj "4") near4 encod$3) and conver$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 16:58
S16	2	S15 and S3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 16:58
S17	40	(((mpeg or mpg) adj "2")) with (((mpeg or mpg) adj "4")) with transcoding	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 07:30
S18	18730076	@ad<"20000121"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 07:30
S19	2	S17 and S18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 07:59

S20	23	(mpeg adj "2") with ("h.263") with (transcoding or conversion or converting)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 08:28
S21	0	(mpeg adj "2") same (orthogonal near2 transform) same (lower near4 coefficients)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 08:30
S22	5	(mpeg adj "2") same (transform) same (lower near4 coefficients)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 08:31
S23	0	((mpeg adj "2") near2 decoding) same (drop near2 (b adj frame))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 08:32
S24	0	((mpeg adj "2") near2 decod$3) same (drop near2 (b adj frame))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 08:32
S25	0	((mpeg adj "2") near2 decod$3) same (drop near4 (b adj frame))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 08:32
S26	74	((mpeg adj "2") near2 decod$3) same ((b adj frame))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 08:32
S27	0	((mpeg adj "2") near2 decod$3) same (drop with (b adj frame))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 08:32

S28	40	S26 and S18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 08:34
S29	624	(mpeg adj "2") near2 decoding	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 08:35
S30	286	S29 and S18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 08:34
S31	80	(mpeg adj "2") near2 transcoding	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 08:35
S32	10	S31 and S18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 08:35
S33	0	"4x8" adj idct	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 09:21
S34	0	("4" adj x adj "8") near2 idct	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 09:22
S35	29	("4" near2 "8") near2 idct	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 09:25

S36	2	("6393059").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/20 09:27
S37	2	("6442201").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/20 09:27
S38	2418	"4.times.8"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 09:28
S39	23	"4.times.8" near2 idct	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 09:28
S40	15	S39 and S18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 09:39
S41	0	idct with (lower near2 "4") with coefficients	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 09:39
S42	1	idct with (lower near4 "4") with coefficients	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 09:42
S43	1	(idct or (inverse near1 dct)) with (lower near4 "4") with coefficients	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 09:42

S44	14	(idct or (inverse near1 dct)) with (lower near2 coefficients)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 09:42
S45	11	S44 and S18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 09:43
S46	86	"4.times.4" and (field near2 (drop or remove or throw))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 10:48
S47	58	S46 and S18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 10:47
S48	1	S47 and (mpeg adj "2")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 10:47
S49	8	"4.times.4" and ((i or inverse) adj dct) and (field near2 (drop or remove or throw))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 10:49
S50	0	S49 and S18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 10:49
S51	24	"4.times.4" near4 ((i or inverse) adj dct)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 10:49

S52	24	("4.times.4" or (("4" or four) near2 lower)) near4 ((i or inverse) adj dct)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 10:50
S53	24	("4.times.4" or (("4" or four) near4 lower)) near4 ((i or inverse) adj dct)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 10:50
S54	19	S53 and S18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 10:50
S55	0	S54 and (serial near2 (scan or scanning))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 11:01
S56	0	S54 and (serial near6 (scan or scanning))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 11:01
S57	0	S54 and (serial near30 (scan or scanning))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 11:01
S58	0	S54 and (serial same (scan or scanning))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 11:01
S59	0	S54 and (sequential near2 (scan or scanning))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 11:01

S60	0	S54 and (sequential with (scan or scanning))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 11:01
S61	1	S54 and (sequential same (scan or scanning))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 11:02
S62	2	S54 and (field with frame with (convert or converting or conversion))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 11:27
S63	1670	field near2 interpolation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 11:27
S64	503	(field near2 interpolation) same (video or (mpeg adj "2"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 11:28
S65	3	(field near2 interpolation) same ((mpeg adj "2"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 11:29
S66	2	S65 and S18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 11:28
S67	135	(field near2 interpolation) and mpeg	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 11:29

S68	71	S67 and S18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 11:30
S69	31	((intra adj field) near4 interpolation) and mpeg	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 11:30
S70	14	S69 and S18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 11:49
S71	1	((intra adj field) near2 interpolation) with (drop or remove or trash or throw)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 11:50
S72	0	S71 and S18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 11:49
S73	0	converting near2 interlaced near2 sequenitial	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 12:06
S74	20	converting near2 interlaced near2 frame	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 12:06
S75	1	converting near2 interlaced near2 serial	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 12:07

S76	14	S74 and S18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 12:07
S77	73	converting near2 interlaced near2 progressive	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 12:07
S78	33	S77 and S18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 12:07
S79	8	S77 and S18 and mpeg	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 12:08
S80	1	("4.times.4+4.times.2")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 15:20
S81	94	("4.times.4" near2 "4.times.2")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 15:20
S82	2	("4.times.4" near2 "4.times.2") same ((i or inverse) adj dct)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 15:22
S83	2	("4.times.4" with "4.times.2") same ((i or inverse) adj dct)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 15:22

S84	199	kazushi and sato	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 07:26
S85	167	(kazushi and sato).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 07:37
S86	349	(kuniaki and takahashi).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 07:38
S87	1067	(kuniaki and takahashi).in. or (zho and yiwen).in. or (suzuki and teruhiko).in. or (yagasaki and yoichi).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 07:53
S88	210	(kuniaki and takahashi).in. or (zho and yiwen).in. or (suzuki and teruhiko).in. or (yagasaki and yoichi).in.	US-PGPUB; USPAT	OR	ON	2005/05/23 08:07
S89	105	feamster.in. (susie and wee).in. apostolopoulos.in.	US-PGPUB; USPAT	OR	ON	2005/05/23 08:08
S90	68	(nick and feamster).in. (susie and wee).in. (john and apostolopoulos).in.	US-PGPUB; USPAT	OR	ON	2005/05/23 08:37
S91	54	(mpeg adj "2") with (mpeg adj "4") with transcod$3	US-PGPUB; USPAT	OR	ON	2005/05/23 08:37
S92	2997467	@ad<"20000121"	US-PGPUB; USPAT	OR	ON	2005/05/23 08:37
S93	1	S91 and S92	US-PGPUB; USPAT	OR	ON	2005/05/23 08:40
S94	28	((inverse adj discrete adj cosine adj transform) or ((inverse or i) adj dct)) near6 coefficient same (mpeg adj "2")	US-PGPUB; USPAT	OR	ON	2005/05/23 08:42
S95	11	S94 and S92	US-PGPUB; USPAT	OR	ON	2005/05/23 08:42
S96	7	(mpeg near2 (down adj decoder))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 08:49

S97	0	S96 and S92	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 08:49
S98	7	(mpeg near4 (down adj decoder))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 08:49
S99	8	(mpeg near8 (down adj decoder))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 08:49
S10 0	0	S99 and S92	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 08:49
S10 1	53	((mpeg adj "2") near4 decoder) and ((mpeg adj "4") near4 encoder)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 08:52
S10 2	3	S101 and S92	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 08:50
S10 3	59	((mpeg adj "2") near4 decoder) and (((mpeg adj "4") or "h.263") near4 encoder)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 08:52
S10 4	7	S103 and S92	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 08:58
S10 5	844	(375/240.25).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/05/23 08:58

S106	394	S105 and S92	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 08:58
S107	211	S105 and S92 and mpeg	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 09:31
S108	2	("6243421").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/23 09:44
S109	94	"4.times.4" near2 "4.times.2"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 09:44
S110	54	S109 and S92	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 09:44
S111	8	(coefficient near2 lower) with ((inverse or i) adj dct)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 11:12
S112	6	S111 and S92	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 11:36
S113	14	(wang near2 algorithm) and ((inverse or i) adj dct)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 11:37

S11 4	8	S113 and S92	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 11:41
S11 5	51	("1/2" near2 (precision or resolution)) with interpolation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 11:42
S11 6	36	S115 and S92	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 11:42
S11 7	26	("1/4" near2 (precision or resolution)) with interpolation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 11:42
S11 8	12	S117 and S92	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 12:15
S11 9	19	vertical with horizontal with "1/4" with interpolation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 11:59
S12 0	5	S119 and S92	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 12:07
S12 1	2	(sub near pixel) with motion with interpolation with precision	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 12:08

S12 2	2	S121 and S92	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 12:08
S12 3	1064	interpolation with (pixel or pel) with motion	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 12:16
S12 4	179	interpolation with (pixel or pel) with motion with (precision or resolution)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 12:16
S12 5	89	S124 and S92	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 12:21
S12 6	41	S125 and (mpeg near4 decod$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 12:23
S12 7	4	S125 and (mpeg near4 decod$3) and "1/4"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 13:35
S12 8	2	("6442201").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/23 13:43
S12 9	26	quarter with (precision or resolution) with interpolation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 13:43

S13 0	4	S129 and S92	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 13:46
S13 1	322	(("1/2" or half) near4 (precision or resolution)) same (("1/4" or quarter) near4 (precision or resolution))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 13:48
S13 2	143	S131 and S92	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 13:47
S13 3	52	(("1/2" or half) near4 (precision or resolution)) same (("1/4" or quarter) near4 (precision or resolution)) same interpolation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 14:11
S13 4	20	S133 and S92	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 13:48
S13 5	33	(("1/2" or half) with (precision)) same (("1/4" or quarter) with (precision)) same interpolation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 14:48
S13 6	11	S135 and S92	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 14:12
S13 7	0	((".50" or "0.50" or "0.5" or ".5") with (precision)) same (("0.25" or ".25") with (precision)) same interpolation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 14:49

S138	5	(("0.25" or ".25") with (precision)) same interpolation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 14:49
S139	1	S138 and S92	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 15:51
S140	64	"zonal filter"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 15:51
S141	3	"zonal filter" and ((inverse or i) adj dct)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 16:14
S142	1	field with (up adj sampling) with (discard or throw or destroy)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 16:28
S143	34	vertical near2 (up adj sampling)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 16:28
S144	15	S143 and S92	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 16:29
S145	5	S143 and S92 and interlaced	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 16:48

S146	2	("6243421").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/23 16:48
S147	101	((half adj band) near2 filter) same interpolation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/24 07:54
S148	20166126	@ad<"20010121"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/24 08:26
S149	71	S147 and S148	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/24 07:54
S150	18731313	@ad<"20000121"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/24 08:18
S151	28	(mpeg2 near4 mpeg4) with conversion	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/24 08:25
S152	0	((mpeg adj S148) near4 "h.263") with conversion	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/24 08:26
S153	0	((mpeg adj S148) near8 "h.263") with conversion	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/24 08:26

S15 4	0	((mpeg adj S148) with "h.263") with conversion	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/24 08:27
S15 5	0	((mpeg adj S148) with "h.263") same conversion	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/24 08:27
S15 6	0	((mpeg adj S148) with "h.263") same converting	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/24 08:28
S15 7	0	((mpeg adj S148) same "h.263") same converting	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/24 09:01
S15 8	4	(("6442201") or ("6532309")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 10:19
S15 9	118	((kazushi and sato).in.) and S150	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/24 10:23
S16 0	12	((kazushi and satoh).in.) and S150	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/24 10:23
S16 1	94	(mpeg adj "2") same (mpeg adj "4") same transcod$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 10:01

S16 2	18731313	@ad<"20000121"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 09:58
S16 3	4	S161 and S162	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 09:58
S16 4	90	S161 not S163	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 10:03
S16 5	12	S161 not S163	USPAT	OR	ON	2005/05/25 10:04
S16 6	8	(("6201844") or ("6249549") or ("6310915") or ("6647061")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 10:07
S16 7	12	(("5477397") or ("5617142") or ("5619733") or ("5923814") or ("5926573") or ("5933500")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 10:08
S16 8	2	("6539056").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 12:35
S16 9	2	("6532309").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 12:42
S17 0	54	("4.times.8") and ("4.times.2")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 12:46

S17 1	24	S170 and S162	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 12:43
S17 2	19	S171 and ("4.times.4")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 12:43
S17 3	17	("4.times.8") same ("4.times.2") same ("4.times.4")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 12:46
S17 4	10	S173 and S162	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 12:46
S17 5	103	((mirror or hold) near4 pixel) same interpolation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 13:17
S17 6	56	S175 and S162	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 13:17
S17 7	10	S175 and S162 and taps	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 13:21
S17 8	5	S175 and S162 and (motion near2 compensation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 13:40

S17 9	5	decoding same block same surround same object	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 13:43
S18 0	0	S179 and S162	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 13:41
S18 1	3331	decod$3 same region same block	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 13:43
S18 2	1584	S181 and S162	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 13:43
S18 3	24	decoding same block same surround$3 same object	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 13:44
S18 4	8	S183 and S162	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 14:45
S18 5	992	decod$3 with (macro adj block)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 14:46
S18 6	311	S185 and (mpeg) and S162	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 14:46

S18 7	15	decod$3 with (macro adj block) with surround$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 14:46
S18 8	7	S187 and S162	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 14:50
S18 9	63	("1/4" or quarter) with ("1/2" or half) with pel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 14:52
S19 0	22	S189 and S162	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 14:52
S19 1	12	("1/4" or quarter) with ("1/2" or half) with pel with interpolat$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 14:53
S19 2	6	S191 and S162	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 14:58
S19 3	90	decod$3 with (part or selection) with macro with block	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 14:59
S19 4	48	S193 and S162	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 16:14

S19 5	22	(motion adj vector) with (mpeg adj "2") with transcod$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB.	OR	ON	2005/05/25 16:15
S19 6	2	S195 and S162	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 16:15
S19 7	26	field near2 (up adj sampl$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/31 09:08
S19 8	18731432	@ad<"20000121"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/31 09:08
S19 9	15	S197 and S198	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/31 09:52
S20 0	2	("6058143").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/31 16:23
S20 1	2	("5436665").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/31 16:23
S20 2	1	twofold near2 (up adj sampling)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/31 16:26

| S20 3 | 2 | ("6532309").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/31 16:26 |